




KMC Conquest™ BACnet® Router

kmccontrols.com



HTML5 web-based configuration and diagnostics, with **no other software required.**

Integrated network diagnostics include device status, token passing, and metrics.

Single-cable for power and communications.

Diagnostics

'Stop when full' freezes the capture when frame buffer is full.

MS/TP Device Status

Stop when full Clear

MS/TP Bus Status:


Bus is stable

0	1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20	
21	22	23	24	25	26	27	28	29	30	
31	32	33	34	35	36	37	38	39	40	
41	42	43	44	45	46	47	48	49	50	
51	52	53	54	55	56	57	58	59	60	
61	62	63	64	65	66	67	68	69	70	
71	72	73	74	75	76	77	78	79	80	
81	82	83	84	85	86	87	88	89	90	
91	92	93	94	95	96	97	98	99	100	
101	102	103	104	105	106	107	108	109	110	
111	112	113	114	115	116	117	118	119	120	
121	122	123	124	125	126	127				

Green = Active, Gray = Offline, Red = Error, Blue = Router MAC

21	Total Devices (including router)
102	Avg Token Cycle time (ms)
4	Avg Token Time per Device(ms)
120	Last Master MAC Address

Offload MS/TP and routing from integration engine or supervisory controller.



Manufactured in the USA